

KIT RANGE

2 0 1 9 - 2 0 2 0



Deep roots, global vision.

Founded in 1956, Comelit Group SpA is an industrial company operating on a worldwide scale and specialising in the design and manufacture of video entry, video surveillance, anti-intrusion, home automation, access control and fire alarm systems. The company has a strong international vocation thanks to its close ties with the area in which it was created and in which its headquarters are still located today.

An international group.

Comelit exports to over 70 countries worldwide and, **in addition to its Italian headquarters, has 15 branches** located in strategic areas in which the company operates: from Europe to the Far East, the United States and the Middle East. This articulated sales structure integrates shared know-how with the awareness of specific requirements in each market.

D E S I G N
M I L A N O



reddot design award



Merlion
Awards



DESIGN **PLUS**



Constant innovation, friendly technology.

Comelit makes constantly looking to the future its mission. Innovation through continuous investment in manpower and technology finds an outlet in the design of new solutions dedicated to improving the quality of everyday life by maximising simplicity and functionality.

Design: style, passion, art.

Besides placing technology at the service of mankind, Comelit is a byword for design. Its unique and original style combines the most hi-tech materials with simple lines, clean shapes and cutting-edge colours. Every Comelit product therefore conveys a new concept for living in a space, in harmony with modern architectural trends.

Quality in every detail.

Comelit has been creating high quality video entry solutions for over 60 years. During the development process, every little detail is given all the attention needed to create a product which represents the best possible expression of our philosophy. Comelit subjects its products to strict laboratory testing, in terms of their resistance to heat, water, pressure and stress. This ensures that each product can withstand being pressed more than 125,000 times over the course of its lifetime.



CONTENTS

2-wire

Quadra Kit.....	6
Switch Kit.....	8
Ciao Kit.....	9
Extra Kit.....	9

5-wire

Ciao Kit.....	10
Extra Kit.....	10

Wi-Fi

Visto Kit.....	11
----------------	----

ViP

ViP Kit.....	12
--------------	----

External units

Quadra.....	14
Switch.....	15
Ikall Metal.....	16
Extra.....	17
Ciao.....	18
Visto.....	19


Internal units

Mini Handsfree.....	20
Mini.....	21
Maxi.....	22
Icona.....	23
Mini Audio Handsfree.....	24
Mini Audio.....	25



OUR KITS.

2-WIRE VIDEO

				
8451V	8461M	8461V	8461I	8461X
PG. 6	PG. 7	PG. 7	PG. 7	PG. 7

2-WIRE VIDEO

			
KVS2011	KVS2011KP	KVS2001	KVS2001KP
PG. 8	PG. 8	PG. 8	PG. 8

2-WIRE AUDIO

		
KCA2061	KCA2071	KAE0061
PG. 9	PG. 9	PG. 9


5-WIRE AUDIO

				
KCA5061	KAE5061	KAE5062	KAE5063	KAE5064
PG. 10	PG. 10	PG. 10	PG. 10	PG. 10

WI-FI

	
KITVISTO	KITVISTO/C
PG. 11	PG. 11

VIP VIDEO

				
8561V	8561X	8561IV	8531HD	8513HD
PG. 12	PG. 13	PG. 13	PG. 13	PG. 13

2-wire Video

Quadra Kit

Up to 4 users.




Art. 8451V

QUADRA KIT MINI HANDSFREE WIFI

PATENT
PENDING

- 1x Quadra series surface-mounted external unit art. 4893M
- 1x power supply unit art. 1209
- 1x Mini hands-free Wi-Fi colour monitor art. 6741W
- 1x line closure terminal art. 1216
- 1x distribution terminal art. 1214/2C




8451V/BM



Comelit APP

Available on the
App Store

Google play






All Kits with Quadra entrance panel can be expanded up to 4 users simply by purchasing the required internal units.

Art. 8461X QUADRA KIT MAXI


- 1x Quadra series surface-mounted external unit art. 4893M
- 1x power supply unit art. 1209
- 1x Maxi series hands-free colour monitor art. 6801W
- 1x flush-mounted box art. 6817
- 1x wall bracket art. 6820
- 1x distribution terminal art. 1214/2C
- 1x line closure terminal art. 1216



8461X/BM

Art. 8461I QUADRA KIT ICONA


- 1x Quadra series surface-mounted external unit art. 4893M
- 1x power supply unit art. 1209
- 1x Icona series hands-free colour monitor art. 6601W
- 1x flush-mounted box art. 6117
- 1x wall bracket art. 6620
- 1x distribution terminal art. 1214/2C
- 1x line closure terminal art. 1216



8461I/BM

Art. 8461V QUADRA KIT MINI HANDSFREE


- 1x Quadra series surface-mounted external unit art. 4893M
- 1x power supply unit art. 1209
- 1x Mini series hands-free colour monitor art. 6721W
- 1x distribution terminal art. 1214/2C
- 1x line closure terminal art. 1216



8461V/BM

Art. 8461M QUADRA KIT MINI

- 1x Quadra series surface-mounted external unit art. 4893M
- 1x power supply unit art. 1209
- 1x Mini series colour monitor with handset art. 6701W
- 1x distribution terminal art. 1214/2C
- 1x line closure terminal art. 1216



8461M/BM

2-wire Video


Switch Kit



Art. KVS2011

SWITCH KIT MINI WI-FI


- 1x Switch series entrance panel art. IX0101
- 1x colour audio/video unit for 2-wire digital system
- 1x power supply unit art. 1210
- 1x Mini hands-free Wi-Fi colour monitor 6741W
- 1x flush-mounted box art. IX9150
- 1x distribution terminal art. 1214/2C
- 1x line closure terminal art. 1216



Art. KVS2011KP

SWITCH KIT KEYPAD + MINI WI-FI

- 1x Switch series entrance panel complete with electronic key art. IX0101KP
- 1x colour audio/video unit for 2-wire digital system
- 1x power supply unit art. 1210
- 1x Mini hands-free Wi-Fi colour monitor 6741W
- 1x flush-mounted box art. IX9150
- 1x distribution terminal art. 1214/2C
- 1x line closure terminal art. 1216



i Switch Kits are also available in -non wifi- version.

Art. KVS2001

SWITCH KIT MINI HF



Art. KVS2001KP

SWITCH KIT KEYPAD + MINI HF





2-wire Audio


Ciao Kit Extra Kit



Art. KCA2071

CIAO KIT MINI AUDIO HF


- 1x Ciao series entrance panel for 1/2/4/8 buttons art. CA2100P
- 1x power supply unit art. 1209
- 1x Mini Audio hands-free door-entry phone 6751W
- 1x 2 double-height buttons art. CA9210
- 1x 4 single buttons art. CA9211
- 1x 1 large button art. CA9213



Art. KCA2061

CIAO KIT MINI AUDIO


- 1x Ciao series entrance panel for 1/2/4/8 buttons art. CA2100P
- 1x power supply unit art. 1209
- 1x Mini Audio door-entry phone with handset 2738W
- 1x 2 double-height buttons art. CA9210
- 1x 4 single buttons art. CA9211
- 1x 1 large button art. CA9213



Art. KAE0061

EXTRA KIT MINI AUDIO

- 1x Extra series single-family external unit art. ET0001
- 1x Mini series door-entry phone art. 2712W
- 1x transformer art. 1200



5-wire Audio

Ciao Kit Extra Kit

Up to 4 users.



Art. KCA5061

CIAO KIT MINI AUDIO


- 1x Ciao series entrance panel for 1/2/4/8 buttons art. CA5100P
- 1x power supply unit art. 1200
- 1x Mini Audio door-entry phone with handset 2702W
- 1x 2 double-height buttons art. CA9210
- 1x 4 single buttons art. CA9211
- 1x 1 large button art. CA9213



Art. KAE5061

EXTRA KIT MINI AUDIO

- 1x Extra series single-family external unit art. ET5001
- 1x Mini series door-entry phone art. 2702W
- 1x transformer art. 1200



i Extra Kits are already available in versions for 2-3-4 users.
Without the need to purchase additional internal units.

Art. KAE5062

EXTRA KIT MINI AUDIO



Art. KAE5063

EXTRA KIT MINI AUDIO



Art. KAE5064

EXTRA KIT MINI AUDIO





Wi-Fi Smart

Visto kit



Art. KITVISTO

VISTO WI-FI SMART DOORBELL

- 1x Visto Wi-Fi external unit art. Visto
- 1x adapter for wi-fi Visto Kit art. 3522



Art. KITVISTO/C

VISTO WIFI WITH CHIME SMART DOORBELL

- 1x Visto Wi-Fi external unit art. Visto
- 1x 24vdc power supply unit with eu-uk-us plug art. 3534
- 1x wireless bell for Visto Kit art. 3532




**VISTOCAM/E
OUTDOOR
CAMERA**



**VISTOCAM
INDOOR
CAMERA**



**VISTOCAM360
3D VIEW
CAMERA**




ViP

Quadra Kit Ikall Kit

“ **Answer
anywhere** ”


The ViP Kits make it possible to use the video entry system using door entry monitors in addition to tablets and smartphones on a Wi-Fi network (with working Internet connection), as well as on-the-go via 3G (or more advanced) networks.



Art. 8561V

QUADRA VIP KIT MINI HANDSFREE WIFI

- 1x Quadra series wall-mounted external unit art. 4899M
- 1x power supply unit art. 1209
- 1x Mini hands-free Wi-Fi colour monitor art. 6742W
- 1x line closure terminal art. 1216





Art. 8561X

QUADRA KIT MAXI

- 1x Quadra series wall-mounted external unit art. 4899M
- 1x power supply unit art. 1441B
- 1x Maxi series hands-free colour monitor art. 6842W
- 1x flush-mounted box art. 6817
- 1x wall bracket art. 6820
- 1x floor branch art. 1440




8461X/BM

Art. 8561IV

IKALL VIP KIT MINI HANDSFREE WIFI


- 1x iKall Metal external unit for ViP system art. 4894HIM
- 1x power supply unit art. 1441B
- 1x ViP floor branch art. 1440
- 1x Mini Handsfree Wi-Fi monitor art. 6742W



Art. 8531HD

IKALL VIP KIT ICONA + GATEWAY


- 1x external unit for ViP kit 4894HIM
- 1x power supply unit art. 1595
- 1x power supply unit art. 1441B
- 1x slave gateway art. 1456S
- 1x Icona monitor art. 6602W
- 1x flush-mounted box art. 6117
- 1x wall bracket art. 6620



Art. 8513HD

IKALL VIP KIT GATEWAY

- 1x external unit for ViP kit 4894HIM
- 1x power supply unit art. 1595
- 1x power supply unit art. 1441B
- 1x master gateway 1456





Quadra

4893M

4899M



Quadra series surface-mounted external unit for video entry systems. Die-cast aluminium front panel, wide-angle colour video camera and single LED for night-time lighting. Mechanical keys with option of setting 1 to 4 call keys via DIP-switch. Indicator LEDs for call sent, lock-release activated, audio activated and system busy. Adjustment of speaker volume and audio balance.



DESIGN PLUS
powered by light+building



FEATURES AND FUNCTIONS

Compatible with the SimplebusTop system	4893M
Compatible with the Building Kit system	4893M
Compatible with the ViP system	4899M
Compatible with the audio unit	-
Compatible with the audio/video unit	-
Type	Single-unit entrance panel
Material	Die-cast aluminium
Audio systems	Yes
Audio/video systems	Yes
Flush-mounted installation	-
Surface mounting	Yes
Rain protection (optional)	Yes
Call using buttons	Yes
Total buttons	4
Digital call	-
Type of display	-
Operating temperature (°C)	-25 - 55
IP protection rating	IP54
Anti-vandal protection rating (IK code)	IK08

Switch

IX0101KP
IX0101



Single-unit entrance panel in 2.5 mm thick stainless steel. Available in versions with 1 to 33 buttons. Flush-mounted and surface-mounted installation with the relevant accessories (flush-mounted box and surface-mounted housing), sold separately from the front entrance panel. The front entrance panel comes complete with pre-fitted and pre-wired buttons.



FEATURES AND FUNCTIONS

Compatible with the SimplebusTop system	Yes
Compatible with the Building Kit system	Yes
Compatible with the ViP system	-
Compatible with the audio unit	-
Compatible with the audio/video unit	-
Type	Single-unit entrance panel
Material	Stainless steel
Audio systems	Yes
Audio/video systems	Yes
Flush-mounted installation	Yes
Surface mounting	Yes
Rain protection (optional)	-
Call using buttons	Yes
Total buttons	33
Digital call	No
Type of display	-
Operating temperature (°C)	-25 - 55
IP protection rating	IP54
Anti-vandal protection rating (IK code)	IK08



Ikal Metal

4894HIM



Ikal Metal is designed and manufactured to withstand the toughest operating conditions, in terms of the urban environment as well as climate and temperature. It also easily resists the problems caused by extreme temperature fluctuations, provides an excellent watertight seal and is not even affected by saline mist. Ikal Metal automatically adjusts the tone of any incoming voice to guarantee clean and faithful audio reception.

FEATURES AND FUNCTIONS

Compatible with the SimplebusTop system	Yes
Compatible with the Building Kit system	Yes
Compatible with the VIP system	Yes
Compatible with the audio unit	-
Compatible with the audio/video unit	-
Type	Modular entrance panel
Material	Stainless steel cover
Audio systems	Yes
Audio/video systems	Yes
Flush-mounted installation	Yes
Surface mounting	Yes
Rain protection (optional)	Yes
Call using buttons	Yes
Digital call	Yes
Type of display	-
Operating temperature (°C)	-25 - 55
IP protection rating	IP54
Anti-vandal protection rating (IK code)	-

Extra

ET0001
ET5001
ET5002
ET5100



EXTRA series audio external unit consisting of 1 to 4 call buttons, depending on the model. Stainless steel cover and white nameplate backlighting. Complete with flush-mounted box and wall bracket.



FEATURES AND FUNCTIONS

Compatible with the Traditional 5-wire system	ET5001 - ET5002 - ET5100
Compatible with the 2-wire Analogue system	ET0001
Compatible with the audio unit	-
Compatible with the audio/video unit	-
Type	Single-unit entrance panel
Material	Stainless steel cover
Audio systems	Yes
Flush-mounted installation	Yes
Surface mounting	Yes
Call using buttons	Yes
Total buttons	From 1 to 4
Digital call	-
Type of display	-
Operating temperature (°C)	-25 - 55
IP protection rating	IP54
Anti-vandal protection rating (IK code)	-



Ciao

CA2100P

CA5100P

CA2200P (button module)



TRADITIONAL



ANALOGUE

The new essential and minimal audio entrance panel from Comelit:

surrender to simplicity. A die-cast aluminium product, ideal for creating new systems and renovating old ones, Ciao is available in a 2-wire digital version (1-72 users) and a 5-wire traditional version (1-4 users).

FEATURES AND FUNCTIONS

Compatible with the Traditional 5-wire system	CA5100P
Compatible with the 2-wire Analogue system	CA2100P (+CA2200P)
Compatible with the audio unit	-
Compatible with the audio/video unit	-
Type	Single-unit and multi-unit entrance panel
Material	Die-cast aluminium
Audio systems	Yes
Flush-mounted installation	-
Surface mounting	Yes
Call using buttons	Yes
Total buttons	1 to 72 (with CCA2200P module)
Digital call	-
Type of display	-
Operating temperature (°C)	-25 - 55
IP protection rating	IP54
Anti-vandal protection rating (IK code)	IK08

Visto

KITVISTO
KITVISTO/C



Italian designed smart doorbell which allow audio/video communication from the door to the smartphone/tablet using the Wi-Fi network. With the Visto app You will always be in touch with what is going on at your house, if You are accross town or even in another country.
Dark graphite RAL9011 colour.



FEATURES AND FUNCTIONS

Compatible with Simplebus Top System	No
Compatible with Building Kit System	No
Compatible with ViP System	No
Type	Monoblock entrance panel
Material	Plastic
Audio systems	Yes
Audio/video systems	Yes
Flush-mounted	-
Wall-mounted	Yes
Buttons to call	Yes
Total buttons	1
Operating temperature (°C)	-25 ÷ 55
IP protection rating	IP54



Mini Handsfree

6721W
6721W/BM
6741W
6742W



16/9 4.3" colour monitor, full-duplex audio, colour, contrast and ringtone volume adjustment and melody customisation. Available in 2-wire, 2-wire Wi-Fi and ViP Wi-Fi versions.



FEATURES AND FUNCTIONS

	6721W	6721W/BM	6741W 	6742W 
MAIN FEATURES				
Installation system	SBT (2-wire)	SBT (2-wire)	SBT (2-wire)	ViP
Audio/video system	Yes	Yes	Yes	Yes
Surface mounting	Yes	Yes	Yes	Yes
Desk base-mounted	Yes	Yes	Yes	Yes
Handsfree	Yes	Yes	Yes	Yes
Induction Loop	-	Yes	Yes	Yes
Type of display	LCD	LCD	LCD	LCD
Display size (inches)	4.3" 16:9	4.3" 16:9	4.3" 16:9	4.3" 16:9
Touch-screen display	-	-	-	Yes
Display resolution (H x V)	480x272	480x272	480x272	480x272
B/W or colour display	Colour	Colour	Colour	Colour
Product colour	White	White	White	White
Number of standard buttons	5	5	8	8
Number of additional buttons	3	3	-	-
LED indicators (no.)	3	3	4	4
Wi-Fi App	-	-	Yes	Yes
Remote answer	-	-	Yes	Yes

Mini

6701W
6701W/BM



16/9 B/W or colour monitor, with contrast, brightness and ringtone volume adjustment, 4 Sensitive touch buttons for door lock-release, self-ignition, auxiliary command (switchboard call) and privacy function.



FEATURES AND FUNCTIONS

	6701W	6701W/BM
MAIN FEATURES		
Installation system	SBT (2-wire)	SBT (2-wire)
Audio/video system	Yes	Yes
Surface mounting	Yes	Yes
Desk base-mounted	Yes	Yes
Induction Loop	-	Yes
Type of display	LCD	LCD
Display size (inches)	4.3" 16:9	4.3" 16:9
Touch-screen display	-	-
Display resolution (H x V)	480x272	480x272
B/W or colour display	Colour	Colour
Product colour	White	White
Number of standard buttons	4	4
Number of additional buttons	4	4
LED indicators (no.)	2	2



Maxi

6801W
6801W/BM
6842W



7-inch 16/9 screen. Shiny surface in transparent scratch-resistant polycarbonate. Edges with matt brushed metal finish. Just 12 mm thick. Maxi combines a stylish, minimal design with the utmost simplicity in terms of usage, through functions activated via sensitive touch technology and a touch-screen monitor featuring capacitive technology (ViP version). Available in semi-flush, surface-mount and desk base versions.



FEATURES AND FUNCTIONS

	6801W	6801W/BM	6842W 
MAIN FEATURES			
Installation system	SBT (2-wire)	SBT (2-wire)	ViP
Audio/video system	Yes	Yes	Yes
Flush-mounted installation	Yes	Yes	Yes
Surface mounting	Yes	Yes	Yes
Desk base-mounted	Yes	Yes	Yes
Handsfree	Yes	Yes	Yes
Induction Loop	-	Yes	Yes
Type of display	LCD	LCD	LCD
Display size (inches)	7" 16:9	7" 16:9	7" 16:9
Touch-screen display	-	-	Yes
Display resolution (H x V)	800x480	800x480	800x480
B/W or colour display	Colour	Colour	Colour
Product colour	White RAL9003	White RAL9003	White RAL9003
Number of standard buttons	14	14	8
Number of additional buttons	-	-	-
LED indicators (no.)	14	14	8
Wi-Fi App	-	-	Yes
Remote answer	-	-	Yes

Icona

6601W
6601W/BM
6602W



BUILDING KIT



ViP

Colour monitor with 4.3" 16:9 touch-screen, scratch-resistant polished surfaces in clear polycarbonate, edges with brushed metal finish. Equipped with Sensitive Touch technology, featuring white backlit keys; second level functions can be viewed simply by swiping a finger across the screen.



FEATURES AND FUNCTIONS

	6601W	6601W/BM	6602W
MAIN FEATURES			
Installation system	SBT (2-wire)	SBT (2-wire)	ViP
Audio/video system	Yes	Yes	Yes
Flush-mounted installation	Yes	Yes	Yes
Surface mounting	Yes	Yes	Yes
Desk base-mounted	Yes	Yes	Yes
Handsfree	Yes	Yes	Yes
Induction Loop	-	Yes	Yes
Type of display	LCD	LCD	LCD
Display size (inches)	4.3" 16:9	4.3" 16:9	4.3" 16:9
Touch-screen display	-	-	Yes
Display resolution (H x V)	480x272	480x272	480x272
B/W or colour display	Colour	Colour	Colour
Product colour	White RAL9003	White RAL9003	White RAL9003
Number of standard buttons	9	9	15



Mini Audio HF

6751W
6750W (for expansion)



Mini Audio Handsfree, with hands-free function, is available in wall-mounted and, with the relevant accessory, desk base versions, offering multiple functions: dedicated lock-release button, call volume adjustment and privacy function with red indicator light to signal that the function is activated.

FEATURES AND FUNCTIONS

	6750W	6751W
MAIN FEATURES		
Installation system	SBT (2-wire)	SBT (2-wire)
Audio system	Yes	Yes
Audio/video system	Yes	-
Surface mounting	Yes	Yes
Handsfree	Yes	Yes
Induction Loop	Yes	-
Product colour	White	White
Number of standard buttons	5	5
LED indicators (no.)	3	3



Mini Audio

2702W
2738W
2712W

5

TRADITIONAL

2

ANALOGUE

Mini Audio is available in surface-mounted and, with the relevant accessory, desk base versions, offering multiple functions: dedicated lock-release button and, depending on the model, additional buttons; call volume adjustment and privacy function with red indicator light to signal that the function is activated.



FEATURES AND FUNCTIONS			
	2702W	2738W	2712W
MAIN FEATURES			
Installation system	5-wire	2-wire	2-wire
Audio system	Yes	Yes	Yes
Surface mounting	Yes	Yes	Yes
Desk base-mounted	Yes	Yes	Yes
Product colour	White	White	White
Number of standard buttons	2	2	2
LED indicators (no.)	-	-	-

COMELIT APP

The Comelit App allows remote management of video entry phone systems via a smartphone or tablet connected to 3G (or more advanced) networks. It is available free of charge for iOS and Android devices.


ANSWER CALLS

You can answer audio or audio-video calls from your smartphone and/or tablet.



WATCH RECORDED VIDEO CLIPS

The new Memo Video function allows you to watch video clips recorded by the external unit and the CCTV cameras.



MANAGE CAMERAS

You can view the CCTV cameras (live) and images from the entrance panels.

ACTIVATE AND MANAGE ACTUATORS

This function allows you to control the actuators used to switch lights on and open/close access points.





FACE RECOGNITION



All it takes is a call from the external unit and a few seconds. You are at the door: ring the bell and the connected monitor sends the Comelit cloud service a series of images, within which a known face - yours - will be detected. The monitor emits a tone and notifies you that a known person has arrived. The telephone rings, a notification comes, saying that you have arrived. But there's more. If you want, the monitor can open the gate automatically and - why not? - switch on the driveway light.

Available in kits:

Art. 8451V

Art. KVS2011

Art. KVS2011KP



SCAN QR CODE
AND WATCH THE VIDEO



The brands and trade names cited in this publication are the property of their respective owners.
Product dimensions derived from the images are purely indicative.

